

CATIONIC BITUMEN EMULSION
rapid setting, type **C 60 B 2** in accordance with **EN 13808**

Characteristics	Test method	According to standard
Binder content, %	EN 13074	58-62
Particle polarity	EN 1430	positive
Breaking value	EN 13075-1	≤ 80
Efflux time 2 mm, at 40° C, s	EN 12846	15÷45
Residue on sieving 0.500 mm, %	EN 1429	≤ 0.5
Adhesivity, %	EN 13614	≥ 90
Properties of residue:		
- penetration at 25° C, 0.1mm	EN 1426	≤ 100
- softening point ,°C	EN 1427	≥ 50